-37-

## WHAT IS CLAIMED IS

A communications method, comprising: 1. 1 detecting when a call to a telephone number 2 goes unanswered; 3 4 determining if the unanswered call is from a member of a group identified in a stored set of 5 information associated with the called telephone number; and when it is determined that the calling party is a member of the group identified in said stored set of □ 10 information: 11 presenting the calling party with a list of other members of said group who have **№** 13 provided telephone numbers for contact 0 N 14 purposes; receiving information from the 15 calling party identifying one or more members 16 17 of the group who are to be included in a conference call; and 18 19 initiating a conference call to any group members identified by the received 20 information. 21

2. The method of claim 1, wherein the step of initiating a conference call includes placing calls to at least two group members using telephone numbers corresponding to said two group members obtained from said stored set of information.

1 2

3

4

5

6

7

8

1 2

3

4

5

1

2

3

4

3.	The	method	of	claim	2,	further	comprising:
----	-----	--------	----	-------	----	---------	-------------

connecting said unanswered call to a telephone switch peripheral device when it is determined that the unanswered call is from a member of the group identified in the stored set of information; and

wherein the step of presenting the calling party with a list of other members of said group includes operating said peripheral device to play a message to said calling party including the names of other members of said group who have provided telephone numbers.

- The method of claim 3, further comprising the step 4. of playing messages from multiple members of said group to the calling party prior to initiating said conference call.
- The method of claim 4, 5.

wherein said step of initiating a conference call includes operating said peripheral device to initiate calls to any group member identified by the received information.

The method of claim 5, further comprising: 6.

detecting when a call initiated to a group member identified by the received information is answered; and

5 bridging the answered call with the call from 6 the calling party.

1

2

5

7

9

10

11

12

13

1	7.	The method of claim 2, wherein the step of
2	deter	mining if the unanswered call is from a member of a
3	group	identified in said stored set of information
4	assoc	iated with the called telephone number includes:
5		comparing a calling party telephone number
6	obtair	ned using automatic number identification

information to a list of telephone numbers corresponding to the members of said group.

8. The method of claim 2,

wherein the step of detecting when a call to a telephone number goes unanswered includes operating a telephone switch to provide call termination information to a service control point; and

wherein the step of determining if the unanswered call is from a member of a group identified in said stored set of information associated with the called telephone number includes:

operating the service control point to compare a number obtained from the calling party to a list of identification numbers corresponding to the members of said group.

- 9. The method of claim 1, further comprising the step of:
- maintaining said set of stored information in a location accessible to a telephone switch peripheral device:

	6	operating said telephone switch peripheral
	7	device to receive information updating said stored
	8	information;
	9	generating an E-mail message including at leas
	10	some of the received information used to update said
	11	stored information; and
,	12	transmitting the generated E-mail message to a
	13	least one member of said group.
H	1	10. The method of claim 9,
LÝ L	2	wherein said step of operating said telephone
	3	switch peripheral device to receive information includes
	4	operating said telephone switch peripheral device to
	5	receive a call from a member of said group.
	1	11. The method of claim 10,
, <del></del>	2	wherein said received information includes a
	3	spoken message; and
	4	wherein the step of generating an E-mail
	5	message includes:
	6	i) performing a speech recognition operation or
	7	the spoken message; and
	8	ii) incorporating at least some text generated
	9	by said speech recognition operation into said
	10	E-mail message.
	1	12. The method of claim 9,
	2	wherein said step of operating said telephone
	3	switch peripheral device to receive information includes

operating said telephone switch to receive an emergency

contact telephone number corresponding to a member of

4

5

20

	6	said group via the Internet.
	1	13. The method of claim 12, wherein the step of
	2	generating an E-mail message includes:
	3	incorporating the received emergency contact
	4	telephone number into said E-mail message.
	1	14. A communications system, comprising:
W	2	a telephone switch for receiving calls directed
H	3	to a subscriber telephone number;
	4	a peripheral device coupled to said switch
شارا در در در در ال	5	including:
TŲ	6	i. circuitry for accessing a set of
	7	information corresponding to the subscriber
N	8	telephone number, the set of information
	9	including a list of telephone numbers
:	10	corresponding to a group of individuals
:	11	associated with said subscriber telephone
	12	number;
	13	ii. circuitry for playing a message to a
	14	calling party who made an unanswered call to
	15	the subscriber telephone number, the message
	16	including the names of the group members who
	17	have included contact telephone numbers in said
	18	set of information;
	19	iii. call conferencing circuitry coupled

to said telephone switch for placing calls to

2	22	party and
2	23	placed by
2	24	telephone
1/2	25	and
	26	a service
2	27	telephone switch in
	28	said switch to con
	29	subscriber telephor
9.5	1	15. The system of
		means for
Ē	3	update an emergency
TLI Ti	4	Internet; and
T <u>u</u>	5	means for
	6	notifying at least
, <del></del>	7	emergency contact t
	1	16. The system of
	2	device further comp

21

3

4

5

6

7

8

9

members of said group selected by the calling party and for bridging said calls to the call placed by the calling party to the subscriber telephone number when said calls are answered; and

a service control point coupled to said telephone switch including control logic for instructing said switch to connect an unanswered to directed to said subscriber telephone number to said peripheral device.

15. The system of claim 14, further comprising:

means for allowing a member of said group to

update an emergency contact telephone number via the

means for generating an E-mail message notifying at least one member of the group when an emergency contact telephone number is updated.

16. The system of claim 14, wherein the peripheral device further comprises:

means for receiving a call from a member of said group seeking to update an emergency contact telephone number stored in said set of information; and

means for generating an E-mail message notifying at least one member of the group when an emergency contact telephone number is updated by a received telephone call.

17. The system of claim 14,

the received information.

	2	wherein said set of information is stored in
	3	said peripheral device; and
	4	wherein a duplicate copy of at least some
	5	information in said set of information is stored in
£ ,	6	the service control point.
	1	18. A communications method comprising:
<b>—</b>	2	storing a set of information including a list
₩ ⊨	3	of members of a group associated with a telephone number
	4	who may be contacted when a call to said telephone number
	5	goes unanswered, the set of information including for
	6	each group member who may be contacted, a contact
N A	7	telephone number;
U	8 ,	detecting when a call to the telephone number
	9	associated with said group goes unanswered;
	10	presenting the calling party placing the
	11	unanswered call with a list of group members who have
	12	contact telephone numbers stored in said set of
-	13	information;
	14	receiving information from the calling party
	15	indicating the group member or members who which the
-	16	calling party would like to contact; and
	17	initiating a conference call using at least one
	18	contact telephone number obtained from the set of stored
-	19	information corresponding to a group member indicated by

20

1

The method of claim 18, further comprising the step

19.

of:

1

2

	3	providing the carring party with scored
	4	messages corresponding to at least some of group members
	5	who have contact telephone numbers stored in said set of
	6	information.
1. I. I. I. I. I. I.	1	20. The method of claim 18, wherein the step of
	2	initiating a conference call includes the steps of:
=	3	placing separate calls to at least two members
H	4	of said group using contact telephone numbers obtained
Ľľ	5	from the set of stored information;
	6	detecting when a placed call is answered; and
	7	bridging each answered placed call with the
N	8	call from the calling party to establish a conference
T	9	call.
	1	21. A digital storage medium, comprising:
	2	a first set of stored information for providing
	3	a communications service, the set of stored
	4	information including:
	5	i) a primary telephone number associated
	6	with a first communications service subscriber; and
	7	ii) a list of group members associated
	8	with said primary telephone number,
	9	iii) for each of a plurality of members
	10	in said list:

	11	a) a telephone number from which							
	12	the group member may call said primary							
	13	telephone; and							
	14	b) a telephone number which can							
	15	be used to contact said group member.							
<u> -</u>	1	22. The digital storage medium of claim 21, wherein the							
	2	first set of stored information further comprises, for							
	3	each of said plurality of members in said list:							
₩ ₩	4	an E-mail address associated with the group							
LJ L	5	member.							
	1	23. The digital storage medium of claim 22, wherein the							
Ū	2	first set of stored information further comprises, for							
	3	each of said plurality of members in said list:							
	4	a message provided by said group member.							
÷									
	1	24. The digital storage medium of claim 22, wherein the							
	2	first set of stored information further comprises, for							
	3	each of said plurality of members in said list:							
	4	an E-mail notification indicator used to							
	5	indicate if said group member wants E-mail notification							
	6	when a change is made to one or more pieces of							
	7	information included in said first set of stored							
	8	information.							

	Τ.	25.	The digital scorage medium of claim 24,
	2		wherein the first set of stored information
	3		further comprises, for each of said plurality of
	4	•	members in said list:
	5		a personal identification number.
	1	26.	The digital storage medium of claim 23, further
<b>}</b>	2	compi	rising:
	3		a second set of stored information
10137 <u>7700000000000000000000000000000000</u>	4		for providing a communications service, the second
F W	5		set of stored information including:
	6		i) a second primary telephone number
 3 	7		associated with a second communications service
	8		subscriber; and
U	9		ii) a second list of group members
	10		associated with said primary telephone number,
U	11		iii) for each of a plurality of members
-	12		in said second list:
	13		a) a telephone number from which
	14		the group member may call said second
	15		primary telephone; and
	16		b) a second telephone number
	17		which can be used to contact said group
	18		member.